

# WorkZone

*Safety Products Inc.*

**LEADER IN  
TRAFFIC  
CONTROL  
PRODUCTS**

**PRODUCTS**   
**CATALOGUE**





# HI VIZ APPAREL

All clothing and accessories are available in fluorescent orange or lime/yellow and exceeds CSA z96-15, Class II/Level II requirements. High visibility clothing provide long term visibility during the day or evening.

## TSHIRTS AND HOODIES

## VESTS

## OUTERWEAR

## ACCESSORIES



# TSHIRTS AND HOODIES



## TEE SHIRT - TS-OTT-xx & TS-LTT-xx



**L** LIME



**O** ORANGE

Made with colour fast, flexible, comfortable material to promote seamless motion and provide long-term visibility. Meets and exceeds CSA-z96-15.

SIZES: S/M, L/XL, 2X/3X, and 4X/5X

### SIZING CHART:

	S/M	L/XL	2/3XL	4/5XL
1/2 Chest (cm)	56	68	76	84
Length (cm)	73	77	82	84

## HOODIE - SH-OTT-xx & SH-LTT-xx



**O** ORANGE



**L** LIME

### SIZING CHART:

	S	M	L	XL	2XL	3XL	4XL
1/2 Chest (cm)	64	66	68	70	72	74	76
Length (cm)	72.5	74.5	76.5	76.5	78.5	80.5	82.5
Shoulder (cm)	51	53	55	57	59	61	63
Sleeve (cm)	62	63.5	65	66.5	68	69.5	71

Fleece hoodie with front zipper closure, 4" wide contrasting trim and 2" glass bead border, two large front pockets. Meets and exceeds CSA-z96-15.

SIZES: S, M, L, XL, 2X, 3X and 4X

# VESTS



## STANDARD VEST - SV-OTT-xx & SV-LTT-xx



 **ORANGE**

 **LIME**

A 5 pt. tear-away design with true tear-away capabilities, mesh fabric with reflective tape, hook and loop closure. Used for enhanced visibility. Meets and exceeds CSA-z96-15.



## DELUXE VEST - DV-OTT-xx & DV-LTT-xx



 **ORANGE**

 **LIME**

A 5 pt. tear-away design, mesh fabric with reflective tape, front pouches, front flagging tape pocket with hook and loop closure, inside pockets, and rear back pocket. Used for enhanced visibility for surveyors. Meets and exceeds CSA-z96-15.

## PREMIUM VEST - PV-OTT-xx & PV-LTT-xx



 **ORANGE**

 **LIME**

A 5 pt. tear-away design, mesh fabric with reflective tape, front pockets, hook and loop closure, radio clips, and pencil pockets. Used for enhanced visibility.

Meets and exceeds CSA-z96-15.

### SIZING CHART:

	S/M	L/XL	2/3XL	4/5XL
1/2 Chest (cm)	63	66	69	72
Length (cm)	65	69	73	77



# VESTS



CUSTOM VESTS  
AVAILABLE

## SIZING CHART:

	X/S	S/M	L/X	2/3XL	4/5XL
1/2 Chest (cm)	60	64	68	71	75
Length (cm)	53	57	61	74	67

## AUXILLARY VEST - ASV-LTT-xx



LIME

Lime/yellow polyester fabric with reflective tape, front and back patch identification, microprismatic patch with TNP overlay, meets EMO spec and is fully compliant ClassII Level II Responder specification.

## POLICE VEST - PSV-LTT-xx



LIME

Lime/yellow polyester fabric with reflective tape, front and back patch identification, microprismatic patch with TNP overlay, meets EMO spec and is fully compliant ClassII Level II Responder specification.



# OUTERWEAR



## WINTER PARKA - WP-OTT-xx

Fully zipped winter parka with reflective stripes, outside pockets, a hood, and inside zip out fleece sweater with pockets. Meets and exceeds CSA-z96-15.

### SIZING CHART:

	M	L	XL	2XL	3XL
1/2 Chest (cm)	69	72	76	80	83
Length (cm)	77.5	79.5	79.5	81.5	83.5
1/2 Bicep (cm)	30	31	33	34	35
Sleeve (cm)	63.5	65	66.5	68	69.5



 ORANGE

## RAIN SUIT - RS-OTT-xx




 ORANGE

Oxford cloth with superior colour retention, pockets within jacket, front bib and adjustable straps on the pants. Meets and exceeds CSA-z96-15.

### SIZING CHART:

<b>Rain Coat</b>	M	L	XL	2XL	3XL
1/2 Chest (cm)	69	72	76	80	83
Length (cm)	77.5	79.5	79.5	81.5	83.5
1/2 Bicep (cm)	30	31	33	34	35
Sleeve (cm)	63.5	65	66.5	68	69.5
<b>Rain Pants</b>	M	L	XL	2XL	3XL
Waist (cm)	60.5	62.5	64.5	66.5	68.5
Length	116	117.5	119	120.5	122
Front Rise	45.5	46.5	47.5	48.5	49.5
Back Rise	47.5	48.5	49.5	50.5	51.5



**WorkZone**  
Safety Products Inc.

533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500



# ACCESSORIES



## ARM BAND - AL-OTT-18 & AL-LTT-18

4" wide contrasting trim with 2" glass bead retro-reflective tape, velcro opening, 6" of hook and loop closure to provide sizing ranging from 18" down to 12".



All shirts, hoodies, vests, outerwear and accessories are able to be branded with company logo and or name. Ask your sales representative more about customized clothing for your staff.





# TRAFFIC SAFETY

ROLL UP SIGNS

SIGN STANDS

TRAFFIC CONES

BARRICADES

FLARES

ACCESSORIES



533 Main Street East, Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500



# ROLL-UP SIGNS



## ROLL UP SIGN FEATURES

**3M DIAMOND GRADE (DG) SIGNS** - Provide superior brightness and angularity, highly reflective, wide-angle, prismatic material, higher nighttime brightness than sheeting that uses glass bead lenses. Supports smooth traffic response with 24-hour conspicuity and early driver recognition with long lasting fluorescent color.

**HIGH INTENSITY (HI) SIGNS** - The High Intensity Roll-Up Sign consists of retro reflective micro prisms formed on a flexible, glossy and UV-stabilized polymeric film. This sign sheeting is designed to provide higher nighttime sign brightness.



**CUSTOM  
SIGN ORDERS  
AVAILABLE**

**ADDITIONAL CHARGES  
WILL APPLY**

Roll up signs offer full size signage, visibility, easy install, and minimal storage and are NCHRP-350 compliant when used with compliant stands. There are several legends and standards available as well as custom signs upon request.



# DIAMOND GRADE



**RSDG-TC121**  
90CM X 90CM



**RSDG-TC103R**  
90CM X 90CM



**RSDG-TC103L**  
90CM X 90CM



**RSDG-TC1**  
90CM x 90CM



**RSDG-TC102B**  
90CM X 90CM



**RSDG-TC4**  
90CM X 90CM



# HIGH INTENSITY



**RSHI-RB92**  
90CM X 120CM




**RSHI-RB91**  
90CM X 120CM



**RSHI-RB31**  
60CM X 60CM



**RSHI-WB1A**  
90CM X 90CM



**D-BAN-1896**  
18" X 96"




# PORTABLE SIGN STANDS



## ESF STANDS

The sign system features a heavy duty extension spring system providing stability in windy conditions (80km winds). The base unit has a 1-1/2" square vertical socket designed to allow a 1-1/4" aluminum sign mast. Aluminum legs are made of aircraft quality tubing with two settings for uneven terrain. This is a compact model with telescopic legs that are 30" long and extend to 51" in length paired with three vinyl flags.



## ACCESSORIES

Components can be sold separately.

### PRODUCT CODE: VF-018-24

18x18" Flag and 24" Dowel

Vinyl Orange Flag

### PRODUCT CODE: VF-018-36

18x18" Flag and 36" Dowel

Vinyl Orange Flag

### PRODUCT CODE: RIBS-90

Rib Set 90CM x 90CM

### PRODUCT CODE: RIBS-90X120

Rib Set 90CM x 120CM

### PRODUCT CODE: ESF

Aluminum Telescoping Base

Our ESF series of stands and kits feature extension spring loaded stands designed to that will hold roll-up signs that have a 1-1/4" square aluminum vertical mast. Stands, stand and mast kits, and masts only are available.



**WorkZone**  
Safety Products Inc.

533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500



# PORTABLE SIGN STANDS



## ESFR STANDS

### SIGN STAND SYSTEM - ESFR

ESFR is a full size heavy duty spring loaded stand designed to hold 36" and 48" rigid signs 18" off the ground. The ESFR will also accommodate 36" and 48" roll-up signs with the addition of the optional RUB3315 roll-up sign bracket.




Our ESFR features an extra heavy duty extension spring system which provides stability in windy conditions. Stand comes equipped with a bracket set for rigid signs and roll ups can be displayed with the purchase of a bracket.

## ACCESSORIES

Components can be sold separately.


### PRODUCT CODE: RUB3317

Roll up sign bracket, used for holding ribset in place and displaying rigid signs.



### PRODUCT CODE: TC-22-COMplete

Slow-Stop sign is an 18" reflective sign for directing traffic. Comes with optional 5ft handle.



# TRAFFIC CONES



PVC CONE - TC-SBB-18, TC-H4U-28,  
TC-H6U4L-28 & TC-H6U4L-36



## PRODUCT # TC-SBB-18

18" Cone (70cm) 4lb HI-VIS PVC Traffic Cone with black base equipped with 4" High-Intensity upper collar

Size: 450MM x 270MM

Base: Black thermal interlocking

Weight: 1.4kg

## PRODUCT # TC-H4U-28

28" Cone (70cm) 7lb HI-VIS PVC Traffic Cone with black base equipped with 4" High-Intensity upper collar

Size: 710MM x 360MM

Base: Black thermal interlocking

Weight: 3.1kg

## PRODUCT # TC-H6U4L-28

28" Cone (70cm) 7lb HI-VIS PV Traffic Cone with black base equipped with 6" Upper, 4" Lower High-Intensity collars

Size: 710MM x 360MM

Base: Black thermal interlocking

Weight: 3.1kg

## PRODUCT # TC-H6U4L-36

36" Cone (70cm) 7lb HI-VIS PV Traffic Cone with black base equipped with 6" Upper, 4" Lower High-Intensity upper collars

Size: 910MM x 360MM


Base: Black thermal interlocking

Weight: 3.5kg

**CUSTOM  
BRANDING  
AVAILABLE**

**ADDITIONAL  
CHARGES APPLY**

The PVC cone is flexible enough to be twisted and pressed 180 degrees and rebound after impact. PVC cones can withstand high temperature 65°C and low temperatures as low as -20°C. Each cone is highly reflective, anti-UV, aging resistance and durable. The base is wide body profile for stability, light weight, and acts as an inexpensive barrier.



**WorkZone**  
Safety Products Inc.

533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500



# TRAFFIC CONES



## EVA CONE - TC-EVA4U-28



 **ORANGE**



### PRODUCT # TC-EVA4U-28

28" Cone (70cm) 7lb Hi-Viz LDPE Traffic Cone with black base equipped with 4" High-intensity upper collar

Size: 710MM x 360MM

Base: Black thermal interlocking

Blowing Traffic cone, made of EVA material and Rubber black base with different height and weight, there are 45cm, 50cm, 70cm, 75cm, 90cm and 100cm for your choice. Base and cone can be locked together with special design, can be packed separately. Able to withstand -35 degree weather, meant for extreme environment protection

## COLLAPSABLE CONE - DH-RRC-70 & DH-RTC-90-B

### PRODUCT # DH-RTC-90-0

28" Cone (70cm) collapsable cone with black base and 4 LED lights. Sold in 5 packs.

Size: 550MM X 300MM X 50MM

Collapsible Height: 2"

Weight: 2.0kg

Material: Nylon cone with polyurethane base

Collapsible traffic cones are highly visible during the day, even more so at night when they are illuminated from the inside by a battery powered LED light. This cone takes up very little room when collapsed and packed away.



 **BLACK**

**HANDLE  
BAGS FOR  
EASY CARRY!**



**WorkZone**  
Safety Products Inc.

533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500

# ACCESSORIES



## CONE TOPPERS



### PRODUCT # DH-TOP-1R 3M TOPPER

3 Meter Length Retractable Stripes Tape  
Available in Yellow & Black and Orange & White 5CM Width Tapes  
50MMX 3 Meter Length  
Red and White diagonal stripes belt  
Designed to fit over most standard traffic cones

### PRODUCT # DH-TOP-2 9M TOPPER

9M in length  
Solid injection molded polypropylene material  
Heavy duty 1.5MM thickness  
Fit any standard traffic cone

### PRODUCT # DH-SWL-8 LED LIGHT TOPPER

Super-bright LED & active light, provides strong warning at night.  
There is special lock system on top of the cone for the LED lights, easy to install and uninstall.  
There are two weights for your choice, .3.1kg and 3.4kg

Dimensions: 10x10x10CM

## RETRACTABLE CONE BAR



BLACK YELLOW

### PRODUCT # TC-CBAR

Black and yellow striped conebar for visual intensity

Size: Retractable 1150MM to 2500MM  
Pole/Ring Diameter: 35MM & 105MM  
Material: ABS Plastic

Lightweight and extremely portable.  
Easy to set up or remove, providing an instant and inexpensive barrier to hazardous or controlled access areas. Made with high quality industrial grade material.

## CONE SIGNS AND MESSAGE CONES

### PRODUCT # WZ-TCS CONE SIGNS

Unique design with convenient screw installation of the sign boards on the traffic cone / flexible post  
High-visibility of the sign board  
Easy replacement of the parts, and recyclable  
Promote the usage value of the composing parts



### PRODUCT # WZ-MCS MESSAGE CONE

HDPE Square Cone with Printing  
4 sided message







# BARRICADES

All barricades, delineators, and channelizers meets MTO standards to provide durable, long-lasting barricades for several construction scenarios. They act as reflective barriers to re-route traffic, protect workers, and make drivers aware of their surroundings.

## DELINEATOR POST BARRELS



# BARRICADES



## DELINEATOR POST - DB-TT-43 & DPB-TT-43 BASE



*T-Top Handle  
for easy  
handling,  
with molded  
bolt hole for  
flashing light.*



*2" & 4"  
Reflective  
Collars for  
added visibility*



*6.8KG Octagon  
Base*

43"  
LENGTH

**BASE SOLD  
SEPARATELY**

Delineator posts effectively guide traffic on the road, parking lots, bike lanes, and other places to prevent collisions. The B51 is easily movable with a weighted removable base to secure posts in place and light for easy storage.



# BARRICADES



## B54 CHANNELIZERS - B54 & B54A



40" Barrel (100cm) 3kg barrel made from polyethylene plastic with high intensity reflective sheeting

Size: 1000MM x 400CM

Base: Fits 15-16" recycled tire 13kg.

Molded polyethylene that will stand up to numerous hits and cold weather. Thin strong and resilient shell is easily popped out to original shape, ready for re-installation. Three times for durable and impact resistant. Easily stackable and fits either 15" or 16" tire base.

## B52 CHANNELIZERS - B52 & B52A



Each channelizer is molded with low density durable plastic that withstands impact hit after hit and is a stackable 2-piece design. Made with a recess handle for easy placement and can accommodate barricade flasher (optional).

Size: 900MM x 200MM

Base: 15" sidewall tire base 12kg

These are ideal for higher speed construction zones, are environmentally friendly, and easily paired with a sidewalk tire base.



# BARRICADES



## DELINEATOR CONE- DH-GC-2



T-Top delineator cones works as a multi-function device. Three uses in one: sleeved cone, tubular delineator post and channelizer device. Features a unique t-shaped carry handle with mounting hole for light or sign

Height: 1150MM

Base Width: 400MM

Cone Diameter: 200MM

Weight: 8kg

## DELINEATOR PANELS



### PRODUCT # DH-VB-1

Vertical Panel Channelizers Easily picked up with oversized handle with comfort grip, includes flashing light mounting receptacle. Recessed panel protects sheeting and stackable saves space in use, in transit and in storage. Designed to withstand repeated impacts and minimize damage to vehicles

Height: 1100MM

Panel Width: 300MM

Base Weight: 11kg

Total Weight: 13kg

## BOLLARD COVER



Made with HDPE, hexene copolymer tailored for blow molded products. Excellent stiffness, impact strength and UV resistance and optimum balance of density, molecular weight distribution.

Demonstrates maximum property advantages for large products. Durable and recyclable for sustainability Six year UV stabilizer package and antic-static package are combined with the HDPE

Reflective Stripes: 3 M Scotchlite Reflective Sheeting



### PRODUCT # DH-VB-4

Collapsible Chevron Delineators are easily mounted in weighted rubber 12kg Square bases. Alternatively they can be held in place by sand bags or hot-dipped galvanized steel anchors.

Height: 1100MM

Base Width: 540MM or 470MM

Panel Width: 250MM

Base Weight: 12kg



# SAFETY ROAD FLARES



## HIGHWAY SAFETY FLARES - WIRE STAND & SPIKE



WIRE STAND



SPIKE

Part#	Type of Flare	units/ case
2720	20 Minute Spike Flares	72
9240	20 Minute Wire Stand Flares	72
2730	30 Minute Spike Flares	36
9340	30 Minute Wire Stand Flares	36

## SMALL PLASTIC FLARE CONTAINER - S300



Up to 30 minutes (20 minutes with spike or 30 minutes)  
A watertight container that can hold 4 flares at once and comes with wall mounting bracket.

Reliable, economical, and an easy way to protect police officers, fire and road crew and the general public. Flares prevent one accident from turning into another. The intense red glare provides maximum visibility in all weather conditions and does not require batteries.





# PARKING SAFETY

All speed bumps have highly reflective tape to ensure visibility in the dark. Optional cateye reflectors further enhance visibility to alert drivers in advance. Six foot speed bumps are equipped with a channeled bottom to facilitate drainage and cover cabling and piping.

## SPEED BUMPS

## WHEEL STOPPERS

## SIGNAGE



# SPEED HUMPS



Speed Humps are made from durable recycled tire rubber with yellow EPDM coating. The yellow/black rubber will not fade, fall, or crack under any conditions and environment. WorkZone provides 2-year quality assurance for all yellow EPDM rubber coated Speed Humps.



BLACK **YELLOW**

Made with 3pc 300 x 100mm EPDM rubber, providing longer life than bead tape. Easy to install, visible during day or night, 4 holes for lag bolts to secure to the road. May be used to cover wires laying out on roads and crossways.

**END CAPS  
PURCHASED  
SEPARATELY**


DH-SP-26M	Middle Section	1830mm	300mm	50mm	25.0kg
DH-SP-26E	End Cap				3.0kg

# WHEEL STOPPERS



Wheel chocks are a must-have for any loading dock environment. Wheel chocks can save lives in the event a trailer begins to roll or shift while loading or unloading. This molded rubber wheel chock is sloped to increase holding capacity by allowing truck tires to roll on the chock face. The chock comes with rubber handle for convenient carry.

## WH-2 - DUAL SIDED WHEEL CHOCK



**BLACK**

Size: 210MM x 250MM x 220MM

Material: Durable Rubbler

Weight: 6.5kg

## DH-PB-2 - RUBBER WHEEL STOP



The Wheel Stopper can affix in position firmly and accurately. Low profile reduces the risk of damage to parking vehicles. Black and yellow is the international standard for stopper with bright colouring to effectively catch the drivers' attention.

**BLACK YELLOW**

Size: 1830MM x 150MM x 100MM

Reflective Material: Bead Tape

Weight: 15kg

## WH-3 - HEAVY DUTY WHEEL CHOCK



**BLACK**

Size: 300MM x 320MM x 260MM

Material: Durable Rubbler

Weight: 12kg



Wheel stops are fabricated from premium quality recycled rubber with high resistance to severe impact & brutal weather conditions. They help regulate the layout of your residential roads and parking lots.

**WorkZone**  
Safety Products Inc.

533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500



# BIKE LANE SAFETY

REBOUNDABLE POSTS

BIKE RACKS



533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500

# REBOUNDABLE POSTS



## REBOUNDABLE TRAFFIC POSTS

### RTP-42-XX, RTP-48-XX & RTP-66-XX

Post is constructed of flexible plastic that is resistant to ultraviolet light, ozone, and hydrocarbons. These units have an anti-twist reactive spring assembly that rebounds to upright when struck

Available in:

PRODUCT CODE# RTP-42-XX - 42" Tubular Marker ○ ● ●

PRODUCT CODE# RTP-48-XX - 48" Tubular Marker ○ ● ●

PRODUCT CODE# RTP-66-XX - 66" Tubular Marker ○ ● ●

#### RECOMMENDED USES

- Bike Lanes
- Lane diversion
- Access Denial
- Gas Protection
- Utility Protection
- Drive-Thru Lanes
- Equipment storage rack guarding



To resist twisting and displacement from wind and impact, this post is designed to sustain force with limited damage and able to remain useable and upright. The RTP's have been tested to withstand temperatures ranging from -21 degrees C to 60 degrees C and meets MUTCD specs.

## Sergeant Stripe Hazard Marker - WA133

The sergeant stripe sign is 18"x45" in length, with hi-intensity reflective sheeting and mounting base. Anchor Kit sold separately.



## CROSS WALK SIGN- CW-45X12

The crosswalk/pedestrian crossing sign is 45"x12" in length, with a reflective hi-intensity sheeting and comes with mounting base.

Anchor Kits sold separately.



## HANDICAP SIGN - HP150

Sign is 12x18" with a reflective hi-intensity sheeting. Can be purchased as mounted system. Anchor Kits sold separately.





# BIKE RACKS



## BIKE RACKS

### BS-NBR-F1, BS-NBR-F-2, BS-NBR-F-3

Multiple racks can be connected together to form larger parking bays. Different models with different hoop heights to meet your needs. Suitable for any bikes with tire width less than 100mm. Rack and Frame packed separately for saving Space


Length: 1200MM

Width: 400MM

Height: 240MM

Rack Tube: 16x2MM

Frame Tube: 30MM



# HIGHWAY SAFETY

ANTI GLARE PANELS

SAFETY MIRRORS

ROAD STUDS

SAFETY FENCES



533 Main Street East. Milton, ON L9T 3J2 | P 905 864 1116 | F 905 864 1500



# HIGHWAY SAFETY



## ANTI-GLARE PANELS - AGS-800, AGS-900

Made from PVC plastic to be durable and light for easy transportation that will not fade and rust because of the unique material. They are highly flexible to protect itself and vehicles.

Size: 900MM x 220MM x 50MM

Material: PVC

Weight: 1.3KG



## STAINLESS STEEL MIRROR - SCM-60



Stainless steel mirror with viewing distance, ideal for traffic safety and vandalism. Long lasting and virtually maintenance free.

Diameter: 600MM

Curvature Radius: 2200mm

Weight: 5.0KG

## OUTDOOR MIRROR - CM-60-2




Stainless steel mirror with viewing distance, ideal for traffic safety and vandalism. Long lasting and virtually maintenance free.

Diameter: 600MM

Curvature Radius: 2200mm

Weight: 5.0KG

## FIBER GLASSROAD STUDS - DH-RS-1



Fiberglass-reinforced plastic shell with compression resistance over 16 tons.

The Plastic road stud-43 glass bead reflector can be fixed onto the road by an anti-twist stem as well as glue for extra stability.


Resistant to corrosive effects of salt and grit.

## SOLAR ROAD STUDS - DH-RS-5, DH-RS-27

Flashing solar cell powered LED maintenance-free lighting devices

Used in road construction to delineate road edges and centrelines

The intense brightness of the LEDs makes them easily visible at distances of about 800 under favourable conditions



# HIGHWAY SAFETY




## SAFETY FENCES


The most popular colour of these products is orange. And black colour, green colour or blue colour is also available.

These products have the following features:


Manufactured from HDPE  
U.V. stabilized  
Re-usable




SAFETY NET




WARNING FENCE




BARRIER FENCE




PORTABLE SAFETY  
FENCE




CONSTRUCTION FENCE



SNOW FENCE



SAFETY FENCE



DOUBLE COLOUR  
SAFETY FENCE



# WorkZone Safety Products Inc.

533 Main Street East, Milton ON L9T 3J2

Ph. 905.864-1116 Fx. 905-864-1500

Website:

[www.workzonesafetyproducts.ca](http://www.workzonesafetyproducts.ca)

© **Copyright WorkZone Safety Products Inc.**

## **Important Notice**

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, or conditions express or implied. Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective.

Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct, special or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his/her intended use, and user assumes all risk and liability whatsoever in connection therewith. Statements or recommendations not contained herein shall have no force or effect unless in an agreement signed by officers of seller and manufacturer.



**WorkZone**  
*Safety Products Inc.*